
Pure Freude an Wasser

GROHE


19 380 A02 **ALLURE THERMOSTAT FOR CONCEALED INSTALLATION WITH ONE VALVE**






PRODUCT DESCRIPTION

- Colour: hard graphite
- set for final installation for
- GROHE Rapido SmartBox 35 600/35 604
- GROHE TurboStat compact cartridge with wax thermoelement
- GROHE Long-Life finish
- wall escutcheon with GROHE FastFixation(covered escutcheon- and shaft sealing, covered fixing)
- metal escutcheon, retroactively 6° adjustable
- GROHE SafeStop safety button at 38°C(calibration required)
- GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
- built-in non return valve and dirt strainers
- ceramic stop valve, 120°
- metal handles
- flow performance: outlet B = 27 l/min outlet C = 30 l/min
- without roughing-in-set




19 380 A02 **ALLURE THERMOSTAT FOR CONCEALED INSTALLATION WITH ONE VALVE**



bar	1	2	3	4	5	6
l/min	15.6	22.0	27.0	31.2	34.9	38.2

19 380 A02 **ALLURE THERMOSTAT FOR CONCEALED INSTALLATION WITH ONE VALVE**



SPARE PARTS, May 2018 – now

1: Mounting plate (Spare part-nr. 49080000)

2: Aquadimmer (Spare part-nr. 49084000)

3: Thermostatic compact cartridge 3/4" (Spare part-nr. 49028000)

4: Non-return valve (Spare part-nr. 49085000)

5: Sealing washer (Spare part-nr. 48360000)

6: GROHE TurboStat cartridge 3/4" (Spare part-nr. 49003000)*

7: Socket Spanner (Spare part-nr. 49059000)*

8: Service stops (Spare part-nr. 1405300M)*

9: Universal extension set 2-handle thermostats, 25 mm (Spare part-nr. 140580 00)*

* Optional accessories