





26 373 001 RAINSHOWER F-SERIES 40" AQUASYMPHONY CEILING SHOWER 6+ SPRAYS WITH LIGHT



PRODUCT DESCRIPTION

- Colour: Chrome
- 1016 mm x 762 mm x 145 mm
- material: metal
- minimum flow rate 25 l/min
- min. recommended pressure 3.0 bar
- 1 x AquaCurtain
- 1 x Pure XL spray
- 1 x 2 mist spray
- 2 x GROHE PureRain spray 400 x 190 mm
- 2 x XL Waterfall (separately controlled)
- 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
- full spectrum LED: soft light with changing rainbow colours
- individually adjustable: permanent lighting with colour selection
- power supply for light 12 V DC
- CE approved
- SpeedClean anti-limescale system
- GROHE DreamSpray perfect spray pattern
- GROHE Long-Life finish
- requires rough-in set (26 865 000), F-digital Deluxe base unit box (26 864 000), Bluetooth unit (36 475 000) and various cable connections – all to be ordered separately due to installation situation.
- The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.
- recommendation: configuration with Grohtherm SmartControl 3 x Grohtherm SmartControl (29 126 000) 3 x GROHE Rapido SmartBox (35 604 000) 1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)
- this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++

26 373 001 RAINSHOWER F-SERIES 40" AQUASYMPHONY CEILING SHOWER 6+ SPRAYS WITH LIGHT



26 373 001 **RAINSHOWER F-SERIES 40" AQUASYMPHONY CEILING SHOWER 6+ SPRAYS
WITH LIGHT**

SPARE PARTS, September 2016 – now

1: Strainer (Spare part-nr. 47135000)

2: Spray face (Spare part-nr. 48348000)

