



26 818 001 TEMPESTA SYSTEM 250 SHOWER SYSTEM WITH THERMOSTAT 160 CC FOR WALL MOUNTING



PRODUCT DESCRIPTION (1/2)


- Colour: Chrome
- Consisting of:
 - horizontal swivable 390 mm projection shower arm
 - exposed thermostatic shower with Aquadimmer function
 - centre distance 160 mm
 - allows change between:
 - head shower Tempesta 250 (26 666)
 - spray pattern:
 - Rain
 - head shower with white rear cover
 - with ball joint
 - rotation angle $\pm 10^\circ$
 - hand shower Tempesta 110 (27 597)
 - 2 spray patterns:
 - Rain, Jet
 - adjustable height via gliding element
 - RotaflexTwistStop shower hose 1750 mm 1/2" x 1/2" (28 410)
 - maximum flow rate (at 3 bar): 8.5 l/min
 - GROHE Water Saving - Less water, perfect flow
 - GROHE TurboStat compact cartridge with wax thermoelement
 - GROHE SafeStop safety button at 38°C (calibration required)
 - GROHE SafeStop Plus optional temperature limiter at 43°C included
 - GROHE SmartSwitch - easily rotate the dial to enjoy your preferred spray option
 - GROHE DreamSpray perfect spray pattern
 - GROHE FastFixation upper bracket, +40 / -100 mm height adjustable and up to 36 mm depth adjustable
 - ShockProof silicone ring prevents damage caused by a shower falling
 - GROHE Long-Life finish
 - SpeedClean anti-limescale system
 - Inner WaterGuide for a longer life
 - TwistStop preventing the hose from twisting
 - suitable for instantaneous heaters from 18 kW/h

26 818 001 **TEMPESTA SYSTEM 250 SHOWER SYSTEM WITH THERMOSTAT 160 CC FOR WALL MOUNTING**

PRODUCT DESCRIPTION (2/2)

- minimum flow rate 7 l/min.
- integrated flow elements for improved performance with higher pressure differences between hot and cold water supply
- professional edition
- maximum flow rate (at 3 bar): 7.3 l/min

26 818 001 TEMPESTA SYSTEM 250 SHOWER SYSTEM WITH THERMOSTAT 160 CC FOR WALL MOUNTING



SPARE PARTS, November 2021 – now

- 1: Metal handle 1/2" (Spare part-nr. 47984000)
- 1.1: Cover Cap (Spare part-nr. 6458500M)
- 2: retaining ring (Spare part-nr. 47743000)
- 3: Thermostatic compact cartridge 1/2" (Spare part-nr. 47439000)
- 4: Sound absorber (Spare part-nr. 47398000)
- 5: Water flow (Spare part-nr. 47751000)
- 6: Aquadimmer (Spare part-nr. 12433000)
- 7: Non-return valve (Spare part-nr. 48224000)
- 8: union connection (Spare part-nr. 48599000)
- 8.1: O-Ring Ø17 x Ø2 (Spare part-nr. 0305500M)
- 9: Sliding piece (Spare part-nr. 48609000)
- 10: Strainer (Spare part-nr. 0700200M)
- 11: Fibre seal dia. Ø 18,5 x Ø 12 x 2 (Spare part-nr. 0138900M)
- 12: Strainer (Spare part-nr. 48007000)
- 13: Outlet shower holder (Spare part-nr. 48619000)
- 14: Socket Spanner (Spare part-nr. 19332000)*
- 15: GROHE TurboStat cartridge 1/2" (Spare part-nr. 47175000)*
- 16: Shower system pipe for retrofitting (Spare part-nr. 48514000)*
- 17: Shower system pipe for retrofitting (Spare part-nr. 48515000)*

* Optional accessories